

2/22





FIG - 2A







FIG - 3





FIG - 5

FIG - 4



6/22

FIG-6A




FIG-6D




FIG - 6B




FIG - 6C






FIG - 7



10/22




FIG-11A




FIG-11B




FIG-12A




FIG-12B

12/22




FIG-13A










FIG-13B








FIG-17




FIG-19

FIG-18A





FIG-18B



17/22




FIG-21




FIG - 22

238

Pain pump 2 Set up:

- 1) Press any button to activate unit
- 2) Fill reservoir with transfer syringe
- 3) Press **2**, **4** or **8** to select dosage (cc/hr)
- 4) Press **1** to lock settings
- 5) review settings, if correct press **1**
- 6) Connect infusion set
- 7) Remove overlay label

**WARNING: FAILURE TO LOCK SYSTEM
COULD RESULT IN OVER INFUSION**




FIG - 23

238

Pain pump 2 Set up:

- 1) Press any button to activate unit
- 2) Fill reservoir with transfer syringe
- 3) Press **1** to select setting
- 4) Press **2** to adjust value
- 5) Press **3** to lock settings
- 6) review settings, if correct press **4**
- 7) Connect infusion set
- 8) Remove overlay label


**WARNING: FAILURE TO LOCK SYSTEM
COULD RESULT IN OVER INFUSION**

Drug Concentration (%)	<u>174</u>	Max Daily Dose (mg) Amount Delivered (cc)
Flow Rate (cc/hr)		
Bolus Amount (cc)		
Lockout Time (minutes)		

LOCK



FIG - 24






FIG - 25

